

Ideal on the nightstand, the accessory Petite Phone™ features a compact footprint and USB charging port. Guests will appreciate the corded comfort, while hotels will welcome the additional room for branding and speed dials. Since this accessory phone registers to a cordless base, there's no need to install a phone line or PBX port for installation. The result: lower infrastructure costs and a better guest experience.

Contemporary Analog Accessory Petite Phone

1-Line CTM-A241P | 2-Line CTM-A242P

Key Features

- DECT 6.0 technology delivers superior sound quality while reducing telecom costs
- Corded design ensures familiar, comfortable guest experience
- Compact size; perfect for guest rooms with limited space
- Antibacterial plastic tested to inhibit 99.9% of bacteria growth
- USB charging port makes it easy for guests to charge smart phones and other electronic devices

Phone Features

- CTM-A241P requires base phone: CTM-A2510 or CTM-A2411 or CTM-A2411-BATT
- CTM-A242P requires base phone: CTM-A2421 or CTM-A2421-BATT
- No phone line needed; only requires power adapter
- Sturdy, solid construction ensures phone stays in place on the desk or nightstand
- Environmentally friendly ROHS program reduces the use of hazardous substances including lead, mercury and cadmium
- Large, bright visual message waiting indicator alerts guests of new messages. Compatible with all major PBXs
- Fully customizable faceplate for hotel branding and dialing instructions
- 0, 3, 5, 10 or 11 customizable speed dials put the hotel's services and amenities at the guest's fingertips
- Flash, Hold, Mute and Conference*
- 1 or 2 lines with line key indication*
- Automatic line selection*
- Base dialpad
- Desk- or wall-mountable
- Multi-step volume control for ring tones and handset
- Selectable ring tones
- 5-year limited warranty

* 2-line model only



Silver and Black
(0 Speed Dials)



Matte Black



Silver and Pearl



Contemporary Analog Accessory Petite Phone

1-Line CTM-A241P | 2-Line CTM-A242P

Specifications

Radio Frequency Baseband: Available in DECT 1.8GHz, DECT 1.9GHz, and 2.4 GHz

Colors: Silver and Black, Matte Black, Silver and Pearl

Power Source: 5.1VDC

Message Waiting Signal Type: High voltage, low voltage - reverse polarity, FSK, Siemens, Panasonic

Flash: Programmable timing (100/300/600ms)

Humidity: 65% ± 20%

Temperature: 25° C ± 10° C

Certifications:

- HAC
- FCC Part 15 Class B
- FCC Part 68
- IC
- CE
- ETL
- RoHS
- ENERGY STAR® qualified

Cords:

- 12-foot standard coiled handset cord



Silver and Black
(0 Speed Dials)



Matte Black



Silver and Pearl

Dimensions

Master Carton Measurements: 14.7 in. x 14.6 in. x 8.9 in., 22.3 lbs, 12 per carton

Phone Measurements: 3.6 in. x 8.5 in. x 2.4 in., 1.5 lbs

Contemporary Analog Accessory Petite Phone

1-Line CTM-A241P | 2-Line CTM-A242P

Product Part Numbers

	Silver and Black	Matte Black	Silver and Pearl
• Model No. CTM-A241P: 1-Line Accessory Petite Non-Speakerphone, 10 Speed Dial Keys	80-H0AW-06-000-10	80-H0AW-15-000-10	80-H0AW-11-000-10
• Model No. CTM-A241P: 1-Line Accessory Petite Non-Speakerphone, 5 Speed Dial Keys	80-H0AW-06-000-5	80-H0AW-15-000-5	80-H0AW-11-000-5
• Model No. CTM-A241P: 1-Line Accessory Petite Non-Speakerphone, 3 Speed Dial Keys	80-H0AW-06-000-3	80-H0AW-15-000-3	80-H0AW-11-000-3
• Model No. CTM-A241P: 1-Line Accessory Petite Non-Speakerphone, Custom Speed Dial Keys	80-H0AW-06-000-CC	80-H0AW-15-000-CC	80-H0AW-11-000-CC
• Model No. CTM-A242P: 2-Line Accessory Petite Non-Speakerphone, 10 Speed Dial Keys	80-H0AX-06-000-10	80-H0AX-15-000-10	80-H0AX-11-000-10
• Model No. CTM-A242P: 2-Line Accessory Petite Non-Speakerphone, 5 Speed Dial Keys	80-H0AX-06-000-5	80-H0AX-15-000-5	80-H0AX-11-000-5
• Model No. CTM-A242P: 2-Line Accessory Petite Non-Speakerphone, 3 Speed Dial Keys	80-H0AX-06-000-3	80-H0AX-15-000-3	80-H0AX-11-000-3
• Model No. CTM-A242P: 2-Line Accessory Petite Non-Speakerphone, Custom Speed Dial Keys	80-H0AX-06-000-CC	80-H0AX-15-000-CC	80-H0AX-11-000-CC



Silver and Black
(0 Speed Dials)



Matte Black



Silver and Pearl